

## **B) Cervical spine – hyper/hypo-lordosis or kyphosis**

1. Modeling of the Sagittal Cervical Spine as a Method to Discriminate Hypo-Lordosis: Results of Elliptical and Circular Modeling in 72 Asymptomatic Subjects, 52 Acute Neck Pain Subjects, and 70 Chronic Neck Pain Subjects. Harrison DD, Harrison DE, Janik TJ, et al. **Spine Journal**. 2004;29:2485–2492. (R)
2. Sagittal Alignment of Cervical Flexion and Extension: Lateral Radiographic Analysis Takeshima, Toshichika MD; Omokawa, Shohei MD; Takaoka, Takanori MD; Araki, Masafumi MD; Ueda, Yurito MD; Takakura, Yoshinori MD **Spine Journal** 1 August 2002 - Volume 27 - Issue 15 - pp E348-E355 (R)
3. Forward Head Posture is the Cause of 'Straight Spine Syndrome' in Many Professionals. Indian Choudhary Bakhtiar S; Sapur Suneetha; Deb P S. **J Occupat and Environmental Med** 2000 (Jul); 4 (3): 122—124.(R)
4. The association between cervical spine curvature and neck pain. Grob D, Frauenfelder H, Mannion AF (2006) **European Spine Journal** Nov 18; Epub ahead of print. (H)
5. Is the Sagittal configuration of the cervical spine changed in women with chronic whiplash syndrome? A comparative computer-assisted radiographic assessment. Kristjansson E, et al. **JMPT** 2002;25:550-555.(R)
6. Cervical lordosis angle measured on lateral cephalograms; findings in skeletal class II female subjects with and without TMD: a cross sectional study. D'Attilio M, Epifania E, Ciuffolo F, Salini V, Filippi MR, Dolci M, Festa F, Tecco S. **Cranio**. 2004 Jan;22(1):27-44. (R)
7. The relationship between posture and curvature of the cervical spine. **JMPT** Harrison DD, Harrison DE, Janik TJ, Cailliet R, Haas JW, Ferrantelli J, Holland B (2004) 1998 Jul-Aug;21(6)388-91 (R)
8. Effects of abnormal posture on abnormal ligament elongations in a computational model subjected to whiplash loading. **J Biomechanics** 2005 jun38(6):1313-23(H)
9. Relationship between forward head posture and diagnosed internal derangement of the temporomandibular joint. **J Orofac Pain**. Hackney J, Bade D, Clawson A. 1993 Fall;7(4):386-90.(H)
10. Total head excursion and resting head posture: Normal and patient comparisons. Hanten WP, Olson SL, Russell JL, Lucio RM, Campbell AH. **Arch Phys Med Rehabil** 2000;81:62-66.(R)

11. Cervical headache: an investigation of natural head posture and upper cervical flexor muscle performance. Watson DH, Trott PH. **Cephalalgia** 1993;13:272-284. (H)
12. Relationship of forward head posture and cervical backward bending to neck pain. Haughie LJ, Fiebert IM, Roach KE. **J Manipulative Physiol Ther** 1995(3):91-97.(H)
13. Obstructive sleep apnoea: a cephalometric study. Part I. Cervico-craniofacial skeletal morphology. Tangugsorn V, Skatvedt O, Krogstad O, Lyberg T. **European J Orthod.** 1995 Feb;17(1):45-56.(H)
14. Obstructive sleep apnea: a principal component analysis. Tangugsorn V, Krogstad O, Espeland L, Lyberg T. **Int J Adult Orthodon Orthognath Surg.** 1999;14(3):215-28.(H)
15. Natural head posture, upper airway morphology and obstructive sleep apnoea severity in adults. Ozbek MM, Miyamoto K, Lowe AA, Fleetham JA. **Eur J Orthod** 1998;20:133-143.(H)
16. Cervical Angles in Sleep Apnea Patients: A Retrospective Study. Dobson, GJ.; Blanks, RHI.; Boone, WR.; Mccoy, HG.; **JVSR** 1999; 3(1): 9-23.(H)
17. Obstructive sleep apnea: a principal component analysis. Tangugsorn V, Krogstad O, Espeland L, Lyberg T. **Int J Adult Orthodon Orthognath Surg.** 1999;14(3):215-28. (H)
18. Obstructive sleep apnea (OSA): a cephalometric analysis of severe and non-severe OSA patients. Part II: A predictive discriminant function analysis. Tangugsorn V, Krogstad O, Espeland L, Lyberg T. **Int J Adult Orthodon Orthognath Surg.** 2000 Fall;15(3):179-91.(H)
19. Forward head posture and neck mobility in chronic tension-type headache: a blinded, controlled study Fernández C, et al. **Cephalalgia** 2006;26(3):314-319.(H)
20. Determining a clinical normal value for cervical lordosis. McAviney J, Schulz D, Richard Bock R, Harrison DE, Holland B (2005) **J Manipulative Physiol Ther** 28:187-193.(R)
21. Cervical spine geometry correlated to cervical degenerative disease in a symptomatic group. **Journal of manipulative physiol therapy** 2003 Jul;26(6)341-346 (H)
22. Spinal kyphosis causes demyelination and neuronal loss in the spinal cord: A new model of kyphotic deformity using juvenile japanese small game fowls. **Spine Journal**

30(21):2388-2392 Nov 1 2005 (H)

23. Determining the relationship between cervical lordosis and neck complaints. Jeb McAviney, Dan Schulz, Richard Bock, Deed E. Harrison, Burt Holland **Journal of manipulative physiol therapy** March 2005 (Vol. 28, Issue 3, Pages 187-193) (H)
24. Evaluation of axial and flexural stresses in the vertebral body cortex and trabecular bone in lordosis and two sagittal cervical translation configurations with an elliptical shell model Deed E. Harrison, E. William Jones, Tadeusz J. Janik, Donald D. Harrison **Journal of Manipulative and Physiological Therapeutics** July 2002 (Vol. 25, Issue 6, Pages 391-401) (H)
25. Cobb Method or Harrison Posterior Tangent Method: Which to Choose for Lateral Cervical Radiographic Analysis **Spine Journal** 15 August 2000 - Volume 25 - Issue 16 - pp 2072-2078 Harrison, Deed E. DC; Harrison, Donald D. PhD, DC, MSE; Cailliet, Rene MD; Troyanovich, Stephan J. DC; Janik, Tadeusz J. PhD, ÷; Holland, Burt PhD (R)
26. Increased Sagittal Plane Segmental Motion in the Lower Cervical Spine in Women With Chronic Whiplash-Associated Disorders, Grades I-II: A Case-Control Study Using a New Measurement Protocol Kristjansson, Eythor PT, BSc; Leivseth, Gunnar MD, PhD, Prof; Brinckmann, Paul Prof Dr rer nat; Frobin, Wolfgang Dr rer nat **Spine Journal** 1 October 2003 - Volume 28 - Issue 19 - pp 2215-2221 (H)
27. Computerized tomographical study of dorsal neck muscles for insertion of EMG wire electrodes Mayoux-Benhamou MA. *Electromyography Clin Neurophys* 1993;33:161-6. **Journal of Electromyography and Kinesiology**, Volume 5, Issue 2, Pages 101-107 (H)
29. Is the Sagittal configuration of the cervical spine changed in women with chronic whiplash syndrome? A comparative computer-assisted radiographic assessment. Kristjansson E, et al. **JMPT** 2002;25:550-555. (H)
30. Total head excursion and resting head posture: Normal and patient comparisons. Hanten WP, Olson SL, Russell JL, Lucio RM, Campbell AH. **Arch Phys Med Rehabil** 2000;81:62-66. (H)
31. Myofascial trigger points, neck mobility and forward head posture in unilateral migraine. Fernández-de-Las-Peñas C, Cuadrado ML, Pareja JA. **Cephalalgia**. 2006 Sep;26(9):1061-70. (H)
32. Trigger points in the suboccipital muscles and forward head posture in tension-type headache. Fernández-de-las-Peñas C, Alonso-Blanco C, Cuadrado ML, Gerwin RD,

Pareja JA. **Headache** 2006;46(3):454-460.(H)

33. Myofascial trigger points and their relationship to headache clinical parameters in chronic tension-type headache. Fernández-de-Las-Peñas C, Alonso-Blanco C, Cuadrado ML, Gerwin RD, Pareja JA. **Headache**. 2006 Sep;46(8):1264-72.(H)
34. Myofascial trigger points, neck mobility, and forward head posture in episodic tension-type headache. Fernández-de-Las-Peñas C, Cuadrado ML, Pareja JA. **Headache** 2007;47(5):662-672. (H)
35. Cervicogenic dysfunction in muscle contraction headache and migraine: A descriptive study. Vernon H, et al. **J Manipulative Physiol Ther** 1992;15:418-29 .(H)
37. The association between cervical spine curvature and neck pain. Grob D, Frauenfelder H, Mannion AF (2006) **Eur Spine J** Nov 18; [Epub ahead of print]. (H)
38. Apophysial joint degeneration, disc degeneration, and sagittal curve of the cervical spine. Cote P, Cassidy JD, Yong-Hing K, Sibley J, Loewy **Spine Journal**. 1997;22:859-64. (H)
39. Comparison of axial flexural stresses in lordosis and three dimensional buckled configurations of the cervical spine Deed Harrison, Don Harrison, Tadeusz Janik. E. William Jones, Rene Calliet, Martin Normand **Clinical Biomechanics** 16 (2001) 276-284 (H)
40. Cervical curvature in acute whiplash injuries: a prospective comparative study with asymptomatic subjects. **Injury** 1998;29 p775-8 (H)
41. Kinematics of cervical spine injury. A functional radiological hypothesis. **Eur Spine Journal**. 1995;4p126-32 (H)
42. The vertical stability of the cervical spine. Pal GP, Sherk HH. **Spine**.1998;13:p447-8 (H)
43. Prediction of load sharing among spinal components of a C5-C6 motion segment using the finite element approach. **Spine** 1998;23:684-91 (H)
44. Anatomic basis for the study of constraints to which the cervical spine is subject in the sagittal plane. A study of the centre of gravity of the head. **Surg Radiol Anat** 1986;8:169-73 (H)
45. Whiplash produces an S shaped curvature of the neck with hyperextension of the lower levels. **Spine** 1997;22:2489-94 (H)
46. The effects of mechanical forces on bones and joints. Experimental study on the rat tail.

Pazzaglia UE, Andrini L, Di Nucci A. **J Bone Joint Surg (Am)** 1997;79- A:1024-30 .  
(H)

47. Kinematics of cervical spine injury: a functional radiological hypothesis. Penning L. **Eur Spine J** 1995;130:317-26. (H)
48. Kinematics of the cervical spine canal: Changes with sagittal plane loads. Chen IH, Vasavada A, Panjabi MM. **J Spinal Disord.** 1994;7:93-101. (H)
49. A Review of Biomechanics of the Central Nervous System—Part II: Spinal Cord Strains from Postural Loads. **JMPT** Volume 22 June 1999 Deed E. Harrison, DC, Rene Cailliet, MD, Donald D. Harrison, PhD, DC, Stephan J. Troyanovich, DC, and Sanghak O. Harrison, DC (H)
50. Effect of Neck Exercise on Sitting Posture in Patients With Chronic Neck Pain. **J PHYS THER** Vol. 87, No. 4, April 2007, pp. 408-417 Deborah Falla, Gwendolen Jull, Trevor Russell, Bill Vicenzino and Paul Hodges (T)
51. Line drawing analyses of static cervical X ray used in chiropractic.  
Owens EF Jr. **J Manipulative Physiol Ther.** 1992 Sep;15(7):442-9. Review .(R)
52. Head Posture and Neck Pain of Chronic Nontraumatic Origin: A Comparison Between Patients and Pain-Free Persons Anabela G. Silva, T. David Punt, Paul Sharples, João P. Vilas-Boas, Mark I. Johnson *Archives of Physical Medicine and Rehabilitation* April 2009 (Vol. 90, Issue 4, Pages 669-674) (H)
53. Cervicogenic dysfunction in muscle contraction headache and migraine: a descriptive study [see comments]. Vernon H, Steiman I, Hagino C. **J Manipulative.Physiol Ther.**1992;15:418-29.(H)
54. Biomechanical analysis of buckling alignment of the cervical spine: predictive value for sub-axial sUBLuxation after occipito-cervical fusion. Matsunaga S, Sakou T, Sunahara N, Oonoshi T, Maeda S, Nakanisi K. **Spine** 1997; 22:765-71 .(H)
55. Cervical spine geometry correlated to cervical degenerative disease in a symptomatic group. Wiegand R, Kettner NW, Brahee D, Marquina N. **J Manipulative Physiol Ther** 2003; 26:341-6.(H)
56. Postural differences between asymptomatic men and women and craniofacial pain patients. Braun BL. **Arch Phys Med Rehabil.** 1991 Aug;72(9)653-6 “A forward head position and round shoulders have been implicated in the development or perpetuation of craniomandibular disorders”.”Evaluation and treatment of postural dysfunction

should be included in the management of these people”. (H)

57. Three dimensional screw divergence and sagittal balance: a personal philosophy relative to cervical biomechanics. **Spine**. 1996 10:342-56 “A fixed kyphotic posture of the mid cervical spine will lead to overall sagittal imbalance manifested by axial pain in the upper to mid thoracic region as well as in the posterior cervical spine”. “Chronic anterior head carriage leads to degeneration of discs and anterior osteophyte formation in response to the increased loading”. (H)
58. Cervical headache: an investigation into natural head posture and upper cervical flexor muscle performance. **Cephalalgia** 1993 Aug;13(4):272-84. “The headache group were found to be significantly different to the non-headache group in respect to forward head posture, less isometric strength and less endurance of upper cervical flexors.” “The outcome of this study highlights the need to screen for cervical etiology on patients who are suspected of suffering from common migraine.” (H)
59. Roentgenographic findings of the cervical spine in tension type headache. **Headache**. 1993 Feb;33(2):90-5. “A great majority of patients with tension-type headache were found also to have straightened cervical spine. Patients with cervical headache may have a restricted progression of the cervical spine lordosis.” (H)
60. The relationship between forward head posture and temporomandibular disorders. **J Orofac Pain**. 1995 Spring;9(2):161-7. (H)
61. Usefulness of posture training for patients with temporomandibular disorders. **J Am Dent Assoc**. 2000 Feb;131(2):202-10. Wright EF, Domenech MA, Fischer JR. “Patients with TMD who hold their heads farther forward relative to the shoulders have a high probability of experiencing symptom improvement as a result of posture training and being provided with self management instructions. Within the treatment group the authors found significant correlations between improvements in TMD symptoms and improvement in neck symptoms.” (H)
62. Trigger points in the suboccipital muscles and forward head posture in tension-type headache. Fernández-de-las-Peñas C, Alonso-Blanco C, Cuadrado ML, Gerwin RD, Pareja JA. **Headache** 2006;46(3):454-460. (T)
63. Increasing cervical lordosis. Seated combined compression and transverse load cervical traction with cervical manipulation. A non-randomized clinical control trial. Harrison DE, Harrison DD, Haas JW, Betz JW, Janik TK, Colloca C. **J Manipulative Physiol Ther**. 2003;26(3)p139-151 (T)

64. New 3-point bending traction method for restoring cervical lordosis combined with cervical manipulation. Non-randomized clinical control trial Harrison DE, Harrison DD, Calliet R, Janik TK, Holland B. **Arch Phys Res Med Rehab** 2002;83(4)447-453 (T)
65. Myofascial trigger points, neck mobility, and forward head posture in episodic tension-type headache. Fernández-de-Las-Peñas C, Cuadrado ML, Pareja JA. **Headache** 2007;47(5):662-672. (T)
66. Improvement in Forward Head Posture, Cervical Lordosis, and Pulmonary Function with Chiropractic Care, Anterior Head Weighting and Whole Body Vibration: A Retrospective Study. Mark Morningstar DC, DAASP, FRCCM, FAAIM, David Jockers DC, MS, CSCS **Journal of Pediatric, Maternal & Family Health - Chiropractic** Vol.2009Issue 4 p.1-7 (T)
67. Myofascial trigger points, neck mobility and forward head posture in unilateral migraine. Fernández-de-Las-Peñas C, Cuadrado ML, Pareja JA. **Cephalalgia**. 2006 Sep;26(9):1061-70. (T)
68. Conservative treatment of a patient with previously unresponsive whiplash-associated disorders using clinical biomechanics of posture rehabilitation methods. Ferrantelli JR, Harrison DE, Harrison DD, Stewart D. **J Manipulative Physiol Ther**. 2005 Mar-Apr;28(3):e1-8. (T)
69. Exercises for mechanical neck disorders Kay TM, Gross A, Goldsmith C, Santaguida PL, Hoving J, Bronfort G; Cervical Overview Group. **Cochrane Database Syst Rev**. 2005 Jul 20;(3):CD004250. (T)
70. Manipulation and mobilisation for mechanical neck disorders. Gross AR, Hoving JL, Haines TA, Goldsmith CH, Kay T, Aker P, Bronfort G; Cervical overview group. **Cochrane Database Syst Rev**. 2004;(1):CD004249. (T)
71. Structural rehabilitation of the cervical spine. Deed E Harrison Published in 2002, Harrison CBP Seminars (T)
72. Myofascial trigger points and their relationship to headache clinical parameters in chronic tension-type headache. Fernández-de-Las-Peñas C, Alonso-Blanco C, Cuadrado ML, Gerwin RD, Pareja JA. **Headache**. 2006 Sep;46(8):1264-72. (T)
73. Treatment of cervical kyphosis in children. Francis WR Jr, Noble DP. **Spine**

1988;13:883-7. (T)

74. Correction of severe cervical kyphosis in ankylosing spondylitis by traction. Mehdi H, Jaffray D, Eisenstein S. **Spine** 1992;17:237-40. (T)
75. The traction angle and cervical intervertebral separation. Wong AM, Leong CP, Chen CM. **Spine** 1992;17:136-8. (T)
76. Flexion and traction effects on C5-C6 foraminal space. 29. Humphreys SC, Chase J, Patwardhan A, Shuster J, Lomasney L, Hodges SD. **Arch Phys Med Rehabil** 1998;79:1105-9. (T)
77. Cervical spine manipulation: summary report of a systematic review of the literature and a multidisciplinary expert panel. Shekelle PG, Coulter I. **J Spinal Disord** 1997;10:223-8 (T)
78. Improvement of Cervical Lordosis and Reduction of Forward Head Posture with Anterior Head Weighting and Proprioceptive Balancing Protocols. *E. Stephen Saunders, D.C.1 Dennis Woggon B.S, D.C.2 Christian Cohen B.S. D.C.3 David H. Robinson, PhD.4* **J. Vertebral Subluxation Res.**, April 27, 2003 1 (T)
79. The Efficacy of Cervical Lordosis Rehabilitation for Nerve Root Function, Pain, and Segmental Motion in Cervical Spondylotic Radiculopathy: A Randomized Control Trial. Ibrahim Moustafa Abu Amer, PT, Aliaa Attiah Mohamed Diaab PT, Deed E. Harrison DC, **American J of clinical chiro**, July 2010. (T)